



70 gr/m<sup>2</sup>, 75% Polyester  
25% Polyurethane, Waterproof,  
1/1 Plain Woven Fabric



## Sample



**Arox TO WR/WP - 5934  
White****Description**

75% Polyester 25% Polyurethane waterproof fabric for all kind of medical cloth. Tested for EN 14126.  
Arox TO WR/WP fabrics can be used for medical cover. It can be washed at 60°C and used again.  
Certified for EN 14126.

**Technical Parameters**

Name	Values	Standards
Fiber	75% Polyester (PES) 25% Polyurethane (PU)	EN ISO 2076
Yarn	60 Denier	EN ISO 2060
Weight	70 ±5 gr/m <sup>2</sup>	EN ISO 3081
Width	1500 ±20 mm	EN ISO 3932
Tensile Strength	Warp>500N; Weft>400N	EN ISO 13934-1
Tear Strength	Warp>15N; Weft>10N	EN ISO 13937-2
Dimensional Change	-3%<Length<+3%;-3%<Width<+3%	EN ISO 5077
Rubbing Fastness	4-5	EN ISO 105 X12
Perspiration Fastness	4-5	EN ISO 105 E04
Washing Fastness	4-5	EN ISO 105 C06
Dry Cleaning Fastness	4-5	EN ISO 105 D01
Hypochlorite Fastness	4-5	EN ISO 105 N01
Hot Press Fastness	4-5	EN ISO 105 X11
pH	4.0 - 6.5	EN ISO 3071
Azo Test	No Azo Colorants.	EN ISO 14362-1
Application	Medical Cover	
Quality Management	Done	ISO 9001
Water Repellent	ISO 4	EN ISO 24920
Chemical Resistant	Done	EN ISO 13034
Waterproof	Done	EN 343
Infective Agents	Done	EN 14126